

PROJEKTOVÁ DOKUMENTACE JE ZPRACOVÁNA DLE PŘÍLOHY Č. 11 K VYHLÁŠCE Č. 499/2006 SB. O DOKUMENTACI STAVEB

GENERÁLNÍ PROJEKTANT

PČDP s.r.o.

TRSTĚNICKÁ 532

570 01 LITOMYŠL

IČO: 08905738

ID SCHRÁNKY: 9yypxpx

PCDP.PROJEKCE@GMAIL.COM

ZPRACOVATEL SO



VÝŠKOVÝ SYSTÉM: BPV

SOUŘADNICOVÝ SYSTÉM: S-JTSK




AUTORIZAČNÍ RAZÍTKO


STAVEBNÍ OBJEKT
1L 4.50/30

VYPRACOVAL	KONTROLOVAL	ZODPOVĚDNÝ PROJEKTANT
ING. MICHAL STŘEŠTÍK	ING. MICHAL STŘEŠTÍK	ING. MICHAL STŘEŠTÍK
TRAŤOVÝ ÚSEK	JANOV	
OBJEDNATEL	MĚSTO LITOMYŠL	

AKCE	LITOMYŠL - LC VYSÍLAČ - JANOV	FORMÁT	A4
		DATUM	04/2024
		Č. ZAKÁZKY	35/2023
		STUPEŇ	DÚR+DSP
		MĚŘÍTKO	
PŘÍLOHA	PRACOVNÍ PŘÍČNÉ ŘEZY	PŘÍLOHA Č.	

ČÍSLO KOPIE	
-------------	--





A

591.114

590.990

590.805

590.782

590.521

590.764

590.251

590.465

590.788

590.730

590.730

590.738

590.778

590.883

590.904

590.873

590.874

590.855

590.854

590.821

590.804

590.803

590.362

590.066

590.068

590.341


590.791

590.736

590.724


5
0.08000

0.57 1.01 0.50 1.75 1.75 0.50 1.54 0.90




6
0.10000

0.58 1.09 0.50 1.75 1.75 0.50 1.51 0.90



B




A




B



13
0.24000



14
0.26000



578.854
578.852

578.530

578.602

578.104
578.059
578.169

578.475
578.499
578.522

578.587
578.591

578.605

578.640
578.644
578.635

578.613
578.617
578.615
578.623
578.567
578.458


578.020
578.023
578.217

578.831

578.753

578.644

578.568



577.609	
577.596	
577.039	
577.074	
576.840	
576.808	
577.118	
577.268	
577.280	
577.346	
577.348	
577.360	
577.419	
577.436	
577.438	
577.413	
577.403	
577.404	
577.398	
577.403	
577.374	
577.066	
576.852	
576.853	
577.399	
577.698	
577.486	
577.387	
577.350	


1




1.




19
0.36000




20
0.38000







23
0.44000



24
0.46000





The drawing illustrates the cross-section of a road at two consecutive stations, 27 and 28. The road is symmetrical about a central vertical axis.

Station 27 (0.52000):

- Central Roadway:** A red-shaded area representing the road surface. The top elevation at the center is 564.02.
- Slopes:** The road slopes down from the center at 3.5% on both sides. The side slopes are 1:1.5.
- Drainage Ditch:** A ditch is located on the outer side of the road, with a bottom elevation of 563.14 on the left and 563.12 on the right. The ditch slopes are 1:1.0.
- Dimensions:** The horizontal distances from the centerline to the ditch bottom are 0.72, 1.18, 0.50, 1.75, 1.75, 0.50, 1.21, and 0.74.
- Elevations:** The elevations of the ditch bottom are 563.14 and 563.12. The elevations of the road surface at the ditch edges are 563.92.

Station 28 (0.54000):

- Central Roadway:** A red-shaded area representing the road surface. The top elevation at the center is 562.90.
- Slopes:** The road slopes down from the center at 3.5% on both sides. The side slopes are 1:1.5.
- Drainage Ditch:** A ditch is located on the outer side of the road, with a bottom elevation of 562.23 on the left and 562.16 on the right. The ditch slopes are 1:1.0.
- Dimensions:** The horizontal distances from the centerline to the ditch bottom are 0.57, 0.85, 0.50, 1.75, 1.75, 0.50, 0.95, and 0.71.
- Elevations:** The elevations of the ditch bottom are 562.23 and 562.16. The elevations of the road surface at the ditch edges are 562.79.

The drawing illustrates the cross-section of a road at two consecutive stations, 27 and 28. The road is symmetrical about a central vertical axis.

Station 27 (0.52000):

- Central Roadway:** A red-shaded area representing the road surface. The top elevation at the center is 564.02.
- Slopes:** The road slopes down from the center at 3.5% on both sides. The side slopes are 1:1.5.
- Drainage Ditch:** A ditch is located on the outer side of the road, with a bottom elevation of 563.14 on the left and 563.12 on the right. The ditch slopes are 1:1.0.
- Dimensions:** The horizontal distances from the centerline to the ditch bottom are 0.72, 1.18, 0.50, 1.75, 1.75, 0.50, 1.21, and 0.74.
- Elevations:** The elevations of the ditch bottom at the ends of the station are 563.967 and 563.941.

Station 28 (0.54000):

- Central Roadway:** A red-shaded area representing the road surface. The top elevation at the center is 562.90.
- Slopes:** The road slopes down from the center at 3.5% on both sides. The side slopes are 1:1.5.
- Drainage Ditch:** A ditch is located on the outer side of the road, with a bottom elevation of 562.23 on the left and 562.16 on the right. The ditch slopes are 1:1.0.
- Dimensions:** The horizontal distances from the centerline to the ditch bottom are 0.57, 0.85, 0.50, 1.75, 1.75, 0.50, 0.95, and 0.71.
- Elevations:** The elevations of the ditch bottom at the ends of the station are 562.919 and 562.790.

A

A

561.722

561.810

561.740
561.731
561.723
561.706
561.674
561.577
561.589
561.634
561.635


29
0.56000

561.657
561.688
561.689

561.611
561.576
561.575
561.487
561.486
561.317
561.189
561.416
561.734

561.694
561.666

561.461



B

B

560.464
560.455

560.642
560.589
560.510
560.480
560.416
560.316
560.345
560.552


30
0.58000


560.570
560.571
560.566


560.464
560.455
560.432
560.432
560.416
560.316
560.078
560.502
560.547


560.218

560.291











[illegible]


41
0.80000




42
0.82000



43
0.84000



44
0.86000



45
0.86524

